London, 14 January 2010 Doc. Ref. EMA/HMPC/5816/2010

## COMMITTEE ON HERBAL MEDICINAL PRODUCTS (HMPC)

#### **DRAFT**

## COMMUNITY LIST ENTRY ON VITIS VINIFERA VAR. TINCTORIA L., FOLIUM

DISCUSSION IN WORKING PARTY ON COMMUNITY MONOGRAPHS AND COMMUNITY LIST (MLWP)	January 2010
ADOPTION BY HMPC FOR RELEASE FOR CONSULTATION	14 January 2010
END OF CONSULTATION (DEADLINE FOR COMMENTS )	15 May 2010
REDISCUSSION IN WORKING PARTY ON COMMUNITY MONOGRAPHS AND COMMUNITY LIST (MLWP)	
ADOPTION BY HMPC	

Comments should be provided using this <u>template</u> to <u>hmpc.secretariat@ema.europa.eu</u> Fax: +44 20 75 23 70 51

KEYWORDS	Herbal medicinal products; HMPC; Community list of herbal substance(s),
	preparation(s) and combinations thereof for use in traditional herbal medicinal
	products; traditional use; Vitis vinifera var. tinctoria L.; Vitis viniferae folium;
	red vine leaf

ENTRY TO LIST OF HERBAL SUBSTANCES, PREPARATIONS AND COMBINATIONS THEREOF FOR USE IN TRADITIONAL HERBAL MEDICINAL PRODUCTS

# ENTRY TO LIST OF HERBAL SUBSTANCES, PREPARATIONS AND COMBINATIONS THEREOF FOR USE IN TRADITIONAL HERBAL MEDICINAL PRODUCTS: VITIS VINIFERA VAR. TINCTORIA L., FOLIUM

#### Scientific name of the plant

Vitis vinifera var. tinctoria L.; folium

#### **Botanical family**

Vitaceae

#### Herbal substance

Red vine leaf

#### Common name in all EU official languages of herbal substance

BG (bălgarski): LT (lietuvių kalba): CS (čeština): LV (latviešu valoda):

DA (dansk): MT (malti):

DE (Deutsch): Rebe Blatter

EL (elliniká): Φύλλο Αμπέλου

EN (English):

NL (nederlands): Wijnstok bladeren

PL (polski): liść winorośli właściwej

PT (português): Folhas da videira

ES (espanol): Hojas de vid roja

ET (eesti keel):

FI (suomi):

FR (français): Feuilles de vigne

HU (magyar):

IT (italiano): Fogli della vite

RO (română):

SK (slovenčina):

SL (slovenščina):

SV (svenska):

IS (íslenska):

NO (norsk):

Herbal preparation(s)

Soft extract (DER 4-6:1; extraction solvent water)

#### European Pharmacopoeia monograph reference

Not applicable.

#### **Indication(s)**

Traditional herbal medicinal product to relieve symptoms of discomfort and heaviness of legs related to minor venous circulatory disturbances.

The product is a traditional herbal medicinal product for use in specified indications exclusively based upon long-standing use.

#### Type of tradition

European

#### **Specified strength**

See 'Specified posology'.

#### Specified posology

Adults and elderly

Soft extract in a cream base (10 g contain 282 mg soft extract)

Apply a thin layer on the affected area 1-3 times a day.

The use is not recommended in children and adolescents under 18 years of age (see 'Special warnings and precautions for use').

#### **Route of administration**

Cutaneous use.

#### Duration of use or any restrictions on the duration of use

If the symptoms persist for more than 2 weeks during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.

#### Any other information necessary for the safe use

#### **Contraindications**

Hypersensitivity to the active substance.

#### Special warnings and precautions for use

If there is inflammation of the skin, thrombophlebitis or subcutaneous induration, severe pain, ulcers, sudden swelling of one or both legs, cardiac or renal insufficiency, a doctor should be consulted.

The product should not be used on broken skin, around the eyes or on mucous membranes.

The use in children under 18 years of age is not recommended due to the lack of adequate data.

### Interactions with other medicinal products and other forms of interaction

None reported.

#### **Pregnancy and lactation**

Safety during pregnancy and lactation has not been established.

In the absence of sufficient data, the use during pregnancy and lactation is not recommended.

#### Effects on ability to drive and use machines

No studies on the effect on the ability to drive and use machines have been performed.

#### **Undesirable effects**

Contact allergy and/or hypersensitivity reactions of the skin (itching and erythema, urticaria) have been reported. The frequency is not known.

If other adverse reactions not mentioned above occur, a doctor or a qualified health care practitioner should be consulted.

#### Overdose

No case of overdose has been reported.

#### Pharmaceutical particulars [If necessary]

Not applicable.

Pharmacological effects or efficacy plausible on the basis of long-standing use and experience [If necessary for the safe use of the product]

Not applicable.

#### Date of compilation/Last revision

14 January 2010